

# SKN 1503 SG



Capsule Diode

$V_{RSM}$ V	$V_{RRM}$ V	$I_{FAV} = 1500 \text{ A (sin. 180 DSC; } T_c = 87^\circ\text{C)}$
400	400	SKN 1503/04 SG
800	800	SKN 1503/08 SG
1200	1200	SKN 1503/12 SG
1800	1800	SKN 1503/18 SG
2200	2200	SKN 1503/22 SG

## Diodes

### SKN 1503 SG

#### Features

- Metal case with epoxy insulation
- Capsule package for double sided cooling
- Reverse voltage up to 2200 V
- Cooling with heatsinks (double or single sided)

#### Typical Applications \*

- All-purpose high power rectifier diodes
- Industrial high power drives and traction applications
- Non-controllable and half-controllable rectifiers
- Free-wheeling diodes

Symbol	Condition	Values	Units
$I_{FAV}$	sin. 180 ; $T_c = 100 (85) ^\circ\text{C}$	1350 (1523)	A
$I_D$	2 x P8/180; $T_a = 45 ^\circ\text{C}$ ; B2/B6	750 / 1080	A
	2 x P8/180F; $T_a = 35 ^\circ\text{C}$ ; B2/B6	1840 / 2600	A
$I_{FSM}$	$T_{vj} = 25^\circ \text{C}$ ; 10 ms	19000	A
	$T_{vj} = 175^\circ \text{C}$ ; 10 ms	16000	A
$i^2t$	$T_{vj} = 25^\circ \text{C}$ ; 8,3...10 ms	1800	kA <sup>2</sup> s
	$T_{vj} = 175^\circ \text{C}$ ; 8,3...10 ms	1280	kA <sup>2</sup> s
$V_F$	$T_{vj} = 25^\circ \text{C}$ , $I_F = 1800 \text{ A}$	max. 1,3	V
$V_{F(TO)}$	$T_{vj} = 175^\circ \text{C}$	max. 0,85	V
$r_T$	$T_{vj} = 175^\circ \text{C}$	max. 0,25	mΩ
$I_R$	$T_{vj} = 25^\circ \text{C}$ ; $V_R = V_{RRM}$	max. 4	mA
	$T_{vj} = 175^\circ \text{C}$ ; $V_R = V_{RRM}$	max. 50	mA
$R_{th(j-c)}$	cont.; DSC / SSC	33 / 66	mK/W
$R_{th(c-s)}$	DSC / SSC	7 / 14	mK/W
$T_{vj}$		-40...+175	°C
$T_{stg}$		-40...+150	°C
F	Mounting force ( SI units )	12 ... 13,5	kN
m	approx.	270	g
Case		E26	



SKN

# SKN 1503 SG




Fig. 1L Power dissipation vs. forward current




Fig. 1R Power dissipation vs. ambient temperature




Fig. 3 Forward current vs. case temperature




Fig. 5 Surge overload current vs. time




Fig. 6 Forward characteristics





Fig. 7 Transient thermal impedance vs. time



## Case E26

### \*IMPORTANT INFORMATION AND WARNINGS

The specifications of SEMIKRON products may not be considered as guarantee or assurance of product characteristics ("Beschaffenheitsgarantie"). The specifications of SEMIKRON products describe only the usual characteristics of products to be expected in typical applications, which may still vary depending on the specific application. Therefore, products must be tested for the respective application in advance. Application adjustments may be necessary. The user of SEMIKRON products is responsible for the safety of their applications embedding SEMIKRON products and must take adequate safety measures to prevent the applications from causing a physical injury, fire or other problem if any of SEMIKRON products become faulty. The user is responsible to make sure that the application design is compliant with all applicable laws, regulations, norms and standards. Except as otherwise explicitly approved by SEMIKRON in a written document signed by authorized representatives of SEMIKRON, SEMIKRON products may not be used in any applications where a failure of the product or any consequences of the use thereof can reasonably be expected to result in personal injury. No representation or warranty is given and no liability is assumed with respect to the accuracy, completeness and/or use of any information herein, including without limitation, warranties of non-infringement of intellectual property rights of any third party. SEMIKRON does not assume any liability arising out of the applications or use of any product; neither does it convey any license under its patent rights, copyrights, trade secrets or other intellectual property rights, nor the rights of others. SEMIKRON makes no representation or warranty of non-infringement or alleged noninfringement of intellectual property rights of any third party which may arise from applications. Due to technical requirements our products may contain dangerous substances. For information on the types in question please contact the nearest SEMIKRON sales office. This document supersedes and replaces all information previously supplied and may be superseded by updates. SEMIKRON reserves the right to make changes.